EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L27	76	(PDA) near4 WAP with browser	US-PGPUB; USPAT; USOCR	OR	ON	2006/11/17 11:30
L26	1	"6356282".pn.	US-PGPUB; USPAT; USOCR	OR	ON	2006/11/17 11:29
L25	1	"6594470".pn.	US-PGPUB; USPAT; USOCR	OR	ON	2006/11/17 11:16
L24	8	("5838950" | "5938752" | "6237106" | "6272114" | "6389029" | "6405247" | "6446142" | "6473521").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2006/11/17 11:10
L23	50	(((IEEE adj "1394") USB) near5 (re-configur$5 reconfigur$5 re$configur$7 reset$6 self-configur$5) same (turn$5 near4 (on off))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/17 10:05
L5	0	ad-hoc near3 peer near3 network$6 and (((IEEE adj "1394") USB) near5 (re-configur$5 reconfigur$5 re$configur$7 reset$6)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/17 10:05
L22	0	(((IEEE adj "1394") USB) and (only adj when)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/17 09:50
L21	0	(((IEEE adj "1394") USB) and (select$5 near4 updat$5) same (only adj when)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/17 09:50
L20	1797	(((IEEE adj "1394") USB) and (select$5 near4 updat$5)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/17 09:50
L18	5	(((IEEE adj "1394") USB) and (select$5 near4 updat$5 near4 (mapping))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/17 09:48
L19	14	(re-configur$5 reconfigur$5 re$configur$7 reset$6 self-configur$5) and (select$5 near4 updat$5 near4 (mapping))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/17 09:46
L17	1	(re-configur$5 reconfigur$5 re$configur$7 reset$6 self-configur$5) and (((IEEE adj "1394") USB) and (select$5 near4 updat$5 near4 (mapping))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/17 09:46

L8	357	ad-hoc near3 network$6 and ((IEEE adj "1394") USB)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/17 09:43
L6	37	ad-hoc near3 peer near3 network$6 and (re-configur$5 reconfigur$5 re$configur$7 reset$6)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/17 09:43
L16	23	("20030179719" | "5239537" | "5384831" | "5440613" | "5541930" | "5586117" | "5680589" | "5802057" | "5938735" | "5999525" | "6006286" | "6009157" | "6058115" | "6058433" | "6128292" | "6134628" | "6233017" | "6246759" | "6275472" | "6334161" | "6453343" | "6690648" | "H001917").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2006/11/17 09:34
L15	31	((IEEE adj "1394") USB) same (restor$5) same (interrupt$5)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/17 09:05
L14	0	self-configur$7 same ((IEEE adj "1394") USB) same (restor$5) same (interrupt$5)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/17 09:04
L13	1	self-configur$7 same (subset superset sub-set partial in-part) same ((IEEE adj "1394") USB)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/17 09:01
L12	0	self-configur$7 near5 (subset superset sub-set partial in-part) near5 ((IEEE adj "1394") USB)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/17 08:59
S74	3	S71 and (Configura$5 reset$5) near5 (subset superset sub-set partial in-part) near5 (device node appliance equipment)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/17 08:58
S227	0	((IEEE adj "1394") USB) near5 subnet near5 (re-configur$5 reconfigur$5 re$configur$7 reset$6 initiali$8)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/17 08:57
L11	2	("5394556" | "5579486").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2006/11/17 08:56
L10	2	"5764930".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/17 08:53

EAST Search History

L9	17	ad-hoc near3 network$6 same ((IEEE adj "1394") USB)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/17 08:53
L7	23	ad-hoc near3 peer near3 network$6 and ((IEEE adj "1394") USB)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/17 08:47
S22 0	135	detect$5 near5 ((IEEE adj "1394") USB) near5 (re-configur$5 reconfigur$5 re$configur$7 reset$6)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/17 08:37
L3	12	("5402115" | "5559965" | "5640591" | "5659795" | "5671441" | "5675794" | "5826046" | "5852744" | "5881252" | "5922056" | "5974474" | "5999989").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2006/11/17 08:06
L2	2	"6220510".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/17 07:49
L1	2	"6205209".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/17 07:49
S22 9	24	subnet near5 (re-configur$5 reconfigur$5 re$configur$7 reset$6 initiali$8) and ((IEEE adj "1394") USB)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/17 07:48
S22 8	161	subnet near5 (re-configur$5 reconfigur$5 re$configur$7 reset$6 initiali$8)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/16 16:53
S22 6	0	partial near5 ((IEEE adj "1394") USB) near5 bus near5 (re-configur$5 reconfigur$5 re$configur$7 reset$6 initiali$8)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/16 16:50
S22 5	16	partial near5 bus near5 (re-configur$5 reconfigur$5 re$configur$7 reset$6)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/16 16:50
S22 4	0	partial near5 bus near5 (re-configur$5 reconfigur$5 re$configur$7 reset$6) same (re-stor$5 restor$6) near4 (interrupt$7)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/16 16:47

S22 3	5	bus near5 (re-configur$5 reconfigur$5 re$configur$7 reset$6) same (re-stor$5 restor$6) near4 (interrupt$7)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/16 16:47
S22 2	2819	(re-configur$5 reconfigur$5 re$configur$7 reset$6) and (re-stor$5 restor$6) near4 (interrupt$7)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/16 16:42
S22 1	0	detect$5 near5 ((IEEE adj "1394") USB) near5 (re-configur$5 reconfigur$5 re$configur$7 reset$6) and (re-stor$5 restor$6) near4 (interrupt$7)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/16 16:40
S21 7	715	(re-configur$5 reconfigur$5 re$configur$7) same ((IEEE adj "1394") USB)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/16 16:25
S21 9	2	"5764930".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/16 16:22
S21 8	0	invalid near3 all near4 handl$6	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/16 16:22
S21 6	13	(self-configur$5 selfconfigur$5 self$configur$7) near5(map$8 address$5 rout$5) near3 (table data database)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/31 10:42
S21 5	0	(self-configur$5 selfconfigur$5 self$configur$7) near5(map$8 address$5 rout$5) near3 (table data database) same ((IEEE adj "1394") USB)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/31 10:42
S21 4	1	(self-configur$5 selfconfigur$5 self$configur$7) near5(map$8 address$5 rout$5) near3 (table data database) and (bus trigger) same ((IEEE adj "1394") USB)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/31 10:42
S21 3	0	(self-configur$5 selfconfigur$5 self$configur$7) near5 (device node) same (map$8 address$5 rout$5) near3 (table data database) and (bus trigger) same ((IEEE adj "1394") USB)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/31 10:41
S21 2	68	(self-configur$5 selfconfigur$5 self$configur$7) near5 (device node) and (bus trigger) same ((IEEE adj "1394") USB)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/31 10:39

S21 1	5	(self-configur$5 selfconfigur$5 self$configur$7) near5 (mapp$7) and (bus trigger) same ((IEEE adj "1394") USB)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/31 10:19
S18 7	0	(mark$5 consider$5) near5 (map$8) near4 (invalidat$5 validat$5) and (re-configur$5 reconfigur$5 re$configur$7) near4 (bus trigger) same ((IEEE adj "1394") USB)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/31 10:13
S21 0	73	(pending) near5 ((transaction command request communicat$5)) and(self-configur$5 selfconfigur$5 self$configur$7)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/31 10:12
S20 9	65	(pending) near5 ((transaction command request)) and(self-configur$5 selfconfigur$5 self$configur$7)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/31 10:00
S20 8	1	(pending) near5 ((transaction command request)) and(self-configur$5 selfconfigur$5 self$configur$7) same ((IEEE adj "1394") USB)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/31 09:59
S20 7	0	(pending) near5 ((transaction command request)) same (self-configur$5 selfconfigur$5 self$configur$7) same ((IEEE adj "1394") USB)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/31 09:57
S20 6	0	(re-establish$5 reestablish$6 re$establish$6) near5 (pending) near5 ((transaction command request)) same (self-configur$5 selfconfigur$5 self$configur$7) same ((IEEE adj "1394") USB)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/31 09:57
S20 5	0	(re-establish$5 reestablish$6 re$establish$6) near5 ((transaction command request)) same (re-configur$5 reconfigur$5 re$configur$7) near4 (bus trigger) same ((IEEE adj "1394") USB)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/31 09:55
S20 4	0	(re-establish$5 reestablish$6 re$establish$6) near5 (communicat$5) same (re-configur$5 reconfigur$5 re$configur$7) near4 (bus trigger) same ((IEEE adj "1394") USB)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/31 09:51
S19 6	0	(pending) near5 (communicat$5) same (re-configur$5 reconfigur$5 re$configur$7) near4 (bus trigger) same ((IEEE adj "1394") USB)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/31 09:49
S20 3	33	"712"/$.ccls. and self-configur$5	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/31 09:29

EAST Search History

S20 2	13433	"712"/$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/31 09:29
S20 1	1	((as adj need$6) select$5) near4 (updat$5) near5 (map$8) and (re-configur$5 reconfigur$5 re$configur$7) near4 (bus trigger)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/31 09:28
S17 6	1	((as adj need$6) select$5) near4 (updat$5) near5 (map$8) and (re-configur$5 reconfigur$5 re$configur$7) near4 (bus trigger) same ((IEEE adj "1394") USB)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/31 09:23
S20 0	7	(pending) same (transaction command request) same (re-configur$5 reconfigur$5 re$configur$7) near4 (bus trigger)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/31 09:20
S19 9	8	(node device) near4 (specific$6 oriented based driven dependent) near4 (re-configur$5 reconfigur$5 re$configur$7) near4 (bus trigger)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/31 09:19
S19 5	181	(re-configur$5 reconfigur$5 re$configur$7) near4 (bus trigger) same ((IEEE adj "1394") USB)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/31 08:43
S19 8	48	(LAN adj bus same bridge)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/31 08:20
S19 7	0	(seek$7) near5 (communicat$5) same (re-configur$5 reconfigur$5 re$configur$7) near4 (bus trigger) same ((IEEE adj "1394") USB)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/31 08:20
S19 4	0	((as adj needed) electiv$5 partial adaptiv$8 selectiv$7) same (re-configur$5 reconfigur$5 re$configur$7) near4 (bus trigger) same ((IEEE adj "1394") USB)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/31 07:52
S19 0	0	(invalidat$5 validat$5) near4 (map$7) and (re-configur$5 reconfigur$5 re$configur$7) near4 (bus trigger) same ((IEEE adj "1394") USB)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/31 07:50
S19 3	3	09/822392	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/31 07:19

S19 2	2	09/822449	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/31 07:19
S19 1	2	09/933846	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/31 07:18
S18 9	4	(mark$5 consider$5) near5 (invalidat$5 validat$5) and (re-configur$5 reconfigur$5 re$configur$7) near4 (bus trigger) same ((IEEE adj "1394") USB)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/31 07:12
S18 8	0	(mark$5 consider$5) near5 (handle) near4 (invalidat$5 validat$5) and (re-configur$5 reconfigur$5 re$configur$7) near4 (bus trigger) same ((IEEE adj "1394") USB)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/30 15:54
S18 6	0	(invalidat$5 validat$5) near5 (map$8) and (re-configur$5 reconfigur$5 re$configur$7) near4 (bus trigger) same ((IEEE adj "1394") USB)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/30 15:14
S18 5	0	((as adj need$6) select$5) near4 (invalidat$5 validat$5) near5 (map$8) and (re-configur$5 reconfigur$5 re$configur$7) near4 (bus trigger) same ((IEEE adj "1394") USB)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/30 15:11
S18 4	0	(device node) near3 (basis driven dependent oriented) near4 (updat$5) near5 (map$8) and (re-configur$5 reconfigur$5 re$configur$7) near4 (bus trigger) same ((IEEE adj "1394") USB)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/30 15:09
S18 3	12	("5287357" | "5528507" | "5724517" | "5878232" | "5935208" | "6032261" | "6078963" | "6131119" | "6157972" | "6219697" | "6246667" | "6366964").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2006/10/30 15:04
S18 2	3	((as adj need$6) select$5) near4 (map$8) and (re-configur$5 reconfigur$5 re$configur$7) near4 (bus trigger) same ((IEEE adj "1394") USB)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/30 15:01
S18 1	4	((as adj need$6) adaptiv$5) near4 (updat$5) near5 (map$8) and ((IEEE adj "1394") USB)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/30 14:56
S17 9	15	((as adj need$6) select$5) near4 (updat$5) near5 (map$8) and ((IEEE adj "1394") USB)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/30 14:56

EAST Search History

S18 0	1	((as adj need$6) select$5) near4 (updat$5) near5 (map$8) and (re-configur$5 reconfigur$5 re$configur$7) near4 (bus trigger)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/30 14:54
S17 8	1	(updat$5) near5 (map$8) same (re-configur$5 reconfigur$5 re$configur$7) near4 (bus trigger) same ((IEEE adj "1394") USB)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/30 14:47
S17 7	0	((as adj need$6) adaptiv$5) near4 (updat$5) near5 (map$8) and (re-configur$5 reconfigur$5 re$configur$7) near4 (bus trigger) same ((IEEE adj "1394") USB)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/30 14:47
S17 5	2	"5764930".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/30 14:43
S72	615	(Configura$5 reset$5) near5 (subset superset sub-set partial in-part) near5 (device node appliance equipment)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/30 14:21